



**IP**  
COMPACTOR

#### PRODUCT OPTIONS AND ACCESSORIES

- S56/060 Lift-A-Pak Bag Lifter for IP400/IP500/IP600/IP700 Waste Compactor

With a 110-litre equivalent uncrushed capacity, the Impactor IP500 allows operators to cut waste volumes by up to 80%. It saves on staff time, reduces collection costs, improves hygiene standards and minimises space needed for waste storage.

The IP500 is suitable for a wide variety of operations, from small hotels and restaurants to large schools, hospitals, shops, factories and ships. From cardboard and tins, to plastic and paper, it compacts waste in seconds using powerful electro-hydraulic technology.

The unit is compact and mounted on heavy duty

#### PRODUCT FEATURES

- Cuts waste volumes by up to 80% and lowers waste handling and collection costs
- Compresses all dry waste - cardboard, tins, plastic and paper
- Powerful electro-hydraulic technology enables waste to be compacted in seconds
- Compact, easy-to-move unit can be conveniently located where waste is produced
- Manufactured from stainless steel making it tough, reliable and easy to clean
- UK 3 pin plug allows users to simply plug in and switch on

A/A FILE NUMBER:

ITEM NUMBER:



## WEIGHTS &amp; DIMENSIONS

|        |          |
|--------|----------|
| Width  | 678 mil  |
| Depth  | 675 mil  |
| Height | 1740 mil |
| Weight | 285.5 kg |

## WATER, PLUMBING, AND DRAINAGE SPECS

|                     |    |
|---------------------|----|
| Water Line Required | No |
| Drain Line Required | No |

## ENERGY SPECS

|                           |          |
|---------------------------|----------|
| Primary Energy Type       | Electric |
| Electrical Total Amperage | 5 A      |
| Electrical Volts          | 230V     |
| Electrical Total Wattage  | 750 W    |
| Electrical Kilowatts      | 0.75 kW  |
| Electrical Phase          | 1-Phase  |

## ADDITIONAL SPECIFICATIONS

|                               |                                       |
|-------------------------------|---------------------------------------|
| Capacity Volume               | 110 l                                 |
| Construction Materials        | Stainless Steel                       |
| Control Type                  | On/Off, Rotary Control Knob           |
| Equivalent Uncrushed Material | 550 l                                 |
| Operator Safety Method        | Interlock                             |
| Self-Cleaning Capable         | No                                    |
| Waste Compaction Ratio        | 80 %                                  |
| Waste Types Processed         | Dry (cardboard, tins, plastic, paper) |

## SHIPPING DETAILS

|                            |                         |
|----------------------------|-------------------------|
| Ship Width                 | 77 cm                   |
| Ship Depth                 | 73 cm                   |
| Ship Height                | 197 cm                  |
| Ship Weight                | 314.05 kg               |
| Number of Shipment Parcels | 1                       |
| Ship Method                | LTL Common Carrier      |
| Shipping Package Type      | Pieces                  |
| Shipping Origin Zip Code   | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product         | No                      |

## PRODUCT CERTIFICATIONS

UK  
CAIP55

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

**TECHNICAL DRAWING**