



PRODUCT OPTIONS AND ACCESSORIES

- U07/012 Brush Head - Nylon - for Pot Boy Power Brush
- S64/090 Trolley for Pot Boy Power Brush

Designed to be used on pans and cookware, the Pot Boy scrubber effectively removes encrusted or burnt deposits, enabling staff to work quickly and productively. It can also be used to clean sanitaryware, to improve hygiene standards.

Quick and easy to use, with low running costs, Pot Boy can be mounted over a sink unit, or supplied with a trolley to allow cleaning of fixed catering equipment, such as griddles and bratt pans in-situ. Additional features include a wall-mounting plate, to save on counter space, and a pneumatic, foot-operated switch, so the unit can be switched on and off easily, without the need for hand contact.

PRODUCT FEATURES

- Effectively removes burnt deposits from pans and cookware.
- Compact design allows the Pot Boy to be mounted over sink units.
- Can be moved by a trolley (optional) to fixed equipment, for cleaning in-situ.
- Efficient, foot-operated pneumatic switch enables quick and easy operation.
- Unique hydraulic system means brush is driven by a fluid circuit, for safety.
- Tough, long-lasting nylon brush head.
- Available with wall-mounting plate, to save space.

A/A FILE NUMBER:

ITEM NUMBER:



IMC IMCLEAN POT BOY POWER BRUSH - 1 PHASE - W 625 MM -
0.37 kW

MODEL: F64/100

WEIGHTS & DIMENSIONS

Width	625 mil
Depth	245 mil
Height	265 mil
Weight	23.5 kg

SHIPPING DETAILS

Ship Width	65 cm
Ship Depth	69 cm
Ship Height	31 cm
Ship Weight	25.85 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	No
Drain Line Required	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	3.5 A
Electrical Volts	240V
Electrical Total Wattage	370 W
Electrical Kilowatts	0.37 kW
Electrical Phase	1-Phase

Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	No

ADDITIONAL SPECIFICATIONS

Cleaning Brush Head Speed	360 RPM
Construction Materials	Stainless Steel
Control Type	On/Off
Hose Length	2 m
Hydraulic Fluid Pressure	30 Bar
Motor Power	0.5 hp
Water Temperature Maximum	55 °C

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025



TECHNICAL DRAWING

