

METALCARRELLI 
   S I N C E 1 9 6 4  

a l l a r o u n d y o u r b u s i n e s s



Carrying, keeping hot, distributing meals
with customized trays or in multi-serving distribution



Breakfast trolleys

Complementary equipments



CARRELLO TERMICO ARMADIATO

ART. 7365A3-GS



AVAILABLE SIZES:

2x1/1 GN - cm 95x72x96 H

3x1/1 GN - cm 134x72x96 H

OPTIONAL

GLASS SNEEZE-GUARD



LIDS for art. 2x1/1 GN and 3x1/1 GN

C2-C3
180° opening



L2-L3
2/3+1/3 opening



TRAY SLIDE SHELF





S2-S3
sliding



BAIN-MARIE CUPBOARD TROLLEY


ART. 7375A3



AVAILABLE SIZES:


2x1/1 GN - cm 95x72x96 H
3x1/1 GN - cm 134x72x96 H
4x1/1 GN - cm 172x72x96 H

OPTIONAL

DIGITAL CONTROL PANELS WITH IPX5 PROTECTION	LIDS for art. 2x1/1 GN and 3x1/1 GN
GLASS SNEEZE-GUARD	C2-C3 180° opening  
TRAY SLIDE SHELF	L2-L3 2/3+1/3 opening  
	S2-S3 sliding  

HEATED PAN CUPBOARD TROLLEY

ART. 3411-20GS



Removable door gasket

Ventilated heating unit powered with fan and heating element

Built-in control panel
with ON/OFF switch with warning light, digital thermostat-thermometer

All-round grey non-marking rubber bumper

Castors ø 12,5 cm
swivel, 2 with brake, grey non-marking rubber ring



and submultiples


Snap closure handle

Optional with lock



DIMENSIONS:
cm 54,5x79,5x166 H

WIDE RANGE OF SIZES AND CAPACITY:
for 10 GN 1/1 (h 110 cm)
and for 10/20 GN 2/1



REFRIGERATED PAN MOBILE CUPBOARD TROLLEY

ART. 3415-16GS



**16 pairs
of pressed
runners**

made of a single
steel sheet, for easy
cleaning

spacing 5,5 cm

**Compartment
with no-sharp edges**

compliant with "H1"
hygiene standard



**270° opening doors
with magnet**

**Automatic defrosting
and evaporation**

Control panel with on/off switch
with operation warning light
and digital thermostat



**All-round grey non-marking
rubber bumper**


**Grey non-marking rubber
castors ø 12,5 cm**
swivel, 2 with brake

**Snap closure
handle**

Optional
with lock




DIMENSIONS:
cm 55,5x79,5x165 H



COLD

SINGLE OR DOUBLE INSULATED SKIN NEUTRAL TRAY MOBILE CUPBOARDS

To carry customized trays.
Passive temperature maintenance (single domes and/or compact trays)



270° opening front doors
double skin, with rubber gasket

Pushing handles on both sides
they can be used also
when doors are open

Snap closure handles
(optional with lock)

INNER COMPARTMENT

WITH WIRE RUNNERS
For trays of different sizes
(minimum width 32,5/39
cm and max. depth 53 cm)

WITH “L”-SHAPED
RUNNERS
For trays sized
GN (53x32,5 cm) or
EN (53x37 cm)

All-round bumper
made of grey
non-marking rubber

Castors, ø 16 cm
2 fixed, 2 swivel with brake,
galvanized support,
grey non marking rubber ring,
rolling on bearings

AVAILABLE IN DIFFERENT SIZES
SINGLE-DOOR for 8/12 trays
DOUBLE-DOOR for 16/24 trays

ACCESSORIES

Closure
with lock

Resilient castors
for uneven floors
or for outdoor use




HEATED PAN CUPBOARD TROLLEY

ART. 3411-11GS

✓ **3-IN-ONE MULTI-PURPOSE TROLLEY**
carrying, keeping hot, distributing

✓ **Excellent capacity, small size**
Dimensions: cm 85 x 59 x 117 h
Portioning height: 110 cm from the floor


✓ **Low power consumption**
(900W)



BREAKFAST TROLLEYS

ART. 7450

For food distribution with customized trays



ART. 7460

For multi-serving distribution



ACCESSORIES

<p>for art. 7460 only</p> <p>Drip container to be put at the bottom of the left compartment</p>	<p>Closure with lock</p>	<p>Drip tray to be put on the top shelf</p>	<p>Removable tray shelf</p>	<p>Resilient castors for uneven floors or for outdoor use</p>
--	---------------------------------	--	------------------------------------	--

AISI 304 STAINLESS STEEL SERVICE TROLLEYS



Art. 1400

Round tube structure

Trolleys available in different models from 2 to 5 shelves

Tray shaped pressed shelves
(80x50 cm, 100x50 cm, 100x60 cm, 120x60 cm)

Grey rubber bumpers

Castors, ø 12,5 cm swivel
with or without brake



Standard version: bolted shelves
capacity 120 kg

"S" version:
welded shelves - capacity 150 kg

"P" version: welded shelves,
reinforced structure, capacity 200 kg

AISI 304 STAINLESS STEEL HEAVY-DUTY TROLLEYS



Art. 1560-2PV

Square tube structure


Trolleys available with 2 or 3 shelves:
Deep tray shelves (PV range)
Flat shelves (PL range)

Grey rubber bumper

Castors, ø 12,5 cm swivel,
2 with brake



OPTIONAL/ACCESSORIES



Resilient castors
for uneven floors
or for outdoor use

PVC
waste bins

Waste hole
(only for art. 1400)

GN CONTAINER TROLLEY WITH "C"-SHAPED RUNNERS



Art. 2062



Stainless steel square tube structure

Standard version:
bolted cross-members

"S" version (only for 18 GN)
Fully welded structure, cross-members and runners

"C"-shaped runners with end stops

Stainless steel top for 8 GN trolleys

Grey rubber bumpers

Castors, ø 9,5 or 12,5 cm swivel
with or without brake

VERY WIDE RANGE OF SIZES:
for 8 GN 1/1 AND 2/1
8+8 GN 1/1
18 GN 1/1 AND GN 2/1
Spacing 7,5 cm

FOR 14 GN 1/1 AND 2/1
Spacing 8,5 cm

PLATE/TRAY/GLASS TROLLEYS



Art. 1270P



Art. 1270PR


Available with 1 or 2 shelves

Inclined base
to prevent from sliding

Castors, 12,5 cm swivel
n. 2 with brake

DIMENSIONS:
cm 90x60x91 H
cm 90x60x102 H

OPTIONAL/ACCESSORIES



Resilient castors
for uneven floors or for
outdoor use

AISI 304 stainless steel
single removable
wire divider

PVC cover
with zipper



More than 2500 partners worldwide have chosen our brand,
which stands for quality and professionalism.

RELIABLE

over 50 years of experience
in the HO.RE.CA. sector

GUARANTEED

made in Italy quality: we manufacture
our products with the best materials

COMPLETE

we grant you a comprehensive service
both before and after sales

TIMELY

our products are delivered quickly
and timely to meet all your needs

Learn more about our very wide range of products:
metalcarrelli.com



Metalcarrelli s.r.l.

Via A. Gagliani, 10/A 47814 Bellaria Igea Marina, Rimini - Italy

+39 392 9135106 +39 0541 331627

borga@metalcarrelli.com - info@metalcarrelli.com